


STATEMENT ON A NONPROPRIETARY NAME ADOPTED BY THE USAN COUNCIL

USAN	NARAFILCON B
PRONUNCIATION	nar" a fil' kon
INGREDIENT FUNCTION	contact lens material (hydrophilic)


CHEMICAL NAME

- 2-Propenoic acid, 2-methyl-, 1,1'-[oxybis(2,1-ethanedioxy-2,1-ethanediyl)] ester, polymer with  $\alpha$ -(butyldimethylsilyl)- $\omega$ -[[[3-[2-hydroxy-3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propoxy]propyl]dimethylsilyl]oxy]poly[oxy(dimethylsilylene)], *N,N*-dimethyl-2-propenamamide, 1-ethenyl-2-pyrrolidinone and 2-hydroxyethyl 2-methyl-2-propenoate
- 2,2'-[oxybis(ethyleneoxy)]diethyl bis(2-methylprop-2-enoate) polymer with  $\alpha$ -(butyldimethylsilyl)- $\omega$ -(3-{(2*RS*)-2-hydroxy-3-[(2-methylprop-2-enoyl)oxy]propoxy}propyl)poly[oxy(dimethylsilylene)], *N,N*-dimethylprop-2-enamide, 1-ethenylpyrrolidin-2-one and 2-hydroxyethyl 2-methylprop-2-enoate
- 2-propenoic acid, 2-methyl-, 2-hydroxyethyl ester polymer with Poly[oxy(dimethylsilylene)],  $\alpha$ -(butyldimethylsilyl)- $\omega$ -[[[3-[2-hydroxy-3-[(2-methyl-1-oxo-2-propenyl)oxy]propoxy]propyl]dimethylsilyl]oxy]- and 2-propenamamide, *N,N*-dimethyl and 2-pyrrolidinone, 1-ethenyl-, homopolymer and 2-Propenoic acid, 2-methyl-, oxybis(2,1-ethanedioxy-2,1-ethanediyl) ester

STRUCTURAL FORMULA



MOLECULAR FORMULA



CODE DESIGNATION	n/a
MANUFACTURER	Johnson & Johnson Vision Care, Inc.
WATER CONTENT (at ambient temperature (23±2°C))	48%
OXYGEN PERMEABILITY at 35°C (Dk Value)	55x10 <sup>-11</sup> (cm <sup>2</sup> /s)(mL O <sub>2</sub> /mL*mmHg) (edge & boundary corrected)
<u>CAS</u> REGISTRY NUMBER	909294-16-2